


# Declaration of Performance

**No.: 1032-CPR-0022-1**  
**acc. to Annex III of Regulation (EU) No. 305/2011**

- |   |   |
|---|---|
| <b>1. Identification code of the product type</b>                           | EN 12878:2005 + AC:2006 Category B  |
| <b>2. Intended use</b>  | Pigments for the colouring of building materials based on cement and lime acc. to harmonized standard EN 12878:2005 + AC:2006 |
| <b>3. Manufacturer</b>  | Heubach GmbH<br>Heubachstraße 7<br>D-38685 Langelsheim<br><a href="http://www.heubachcolor.de">www.heubachcolor.de</a>        |
| <b>4. Authorised person</b>   | not applicable  |
| <b>5. System of assessment and Verification of constancy of performance</b> | System 2+   |
| <b>6. Harmonized Standard</b>   | EN 12878:2005 + AC:2006   |
| <b>7. Approved certification body</b>                                       | KIWA GmbH, Zemplabor<br>Office Beckum<br>Hans-Böckler Straße 20<br>D-59269 Beckum<br>(Certificate no: 1032-CPR-0022-1))       |
| <b>8. Declaration of performance</b>  | see attachment  |

The performance of the products acc. attachment are in compliance with the declared performance.  
The above mentioned manufacturer is responsible for preparation of the declaration of performance in accordance with the Regulation (EU) Nr. 305/2011.

Langelsheim, 14.11.2018

  
\_\_\_\_\_  
i.A. Dr. Thomas Sowade (Product Manager)

Annex: 1. Declaration of performance / Product register

Annex 1

**Declaration of performance**

<b>Essential properties</b>	<b>Part of Standard acc. EN 12878:2005</b>	<b>Remarks</b>
Solidification time	4.1.2	Passed
Compressive strength	4.1.3	Category A
Composition of pigments	4.2	Passed
Watersoluble substances	4.2.3	Category A
Soluble Chloride	4.2.4	Category A
Total Chlorine content	4.2.5	Category A
Loss of ignition	4.3	< 1 %
Hazardous substances	ZA.1	No performance determined

**Product Register**

HEUCODUR® - Yellow 7G (C)  
 HEUCODUR® - Yellow 8G (CE)  
 HEUCODUR® - Yellow 5R (CE)  
 HEUCODUR® - Yellow 6R (CE)  
 HEUCODUR® - Blue 2R (CE)  
 HEUCODUR® - Blue 5-100 (CE)  
 HEUCODUR® - Black 952-3

Annex 2

**Declaration of performance**

<b>Essential properties</b>	<b>Part of Standard acc. EN 12878:2005</b>	<b>Remarks</b>
Solidification time	4.1.2	Passed
Compressive strength	4.1.3	Category B
Composition of pigments	4.2	Passed
Watersoluble substances	4.2.3	Category B
Soluble Chloride	4.2.4	Category B
Total Chlorine content	4.2.5	Category B
Loss of ignition	4.3	< 1 %
Hazardous substances	ZA.1	No performance determined

**Product Register**

HEUCODUR® - Yellow 3R (CE)  
 HEUCODUR® - Blue 530 (CE)  
 HEUCODUR® - Blue 540 (CE)  
 HEUCODUR® - Blue 550 (CE)  
 HEUCODUR® - Blue 552 (CE)  
 HEUCODUR® - Blue 555 (CE)  
 HEUCODUR® - Blue 4G (CE)

Annex 3**Declaration of performance**

<b>Essential properties</b>	<b>Part of Standard acc. EN 12878:2005</b>	<b>Remarks</b>
Solidification time	4.1.2	Passed
Compressive strength	4.1.3	Category B
Composition of pigments	4.2	Passed
Watersoluble substances	4.2.3	Category B
Soluble Chloride	4.2.4	Category B
Total Chlorine content	4.2.5	Category B
Loss of ignition	4.3	< 4 %
Hazardous substances	ZA.1	No performance determined

**Product Register**

HEUCOSIN Beige G14975