

Agrocer Violet 023 disp.

Page 1(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Substance or preparation name (trade name)

Agrocer Violet 023 disp.

Internal substance key for identification of product

Material number : 276828

Substance key : SXR003727

Major recommendable usage for substance or preparation

Industry sector : Personal Care

Type of use : Agricultural Industry

Name of company / address

Heubach Colorants Germany GmbH

Brüningstraße 50

65929 Frankfurt am Main

Telephone no. : +49 69 305 13619

Information about the substance / preparation

Product Stewardship

e-mail : SDS.PI.Europe@clariant.com

Emergency telephone number : 00800-5121 5121 (24 h)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Long-term (chronic) aquatic hazard : Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Signal word : Warning

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Agrocer Violet 023 disp.

Page 2(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Substance / Mixture : Mixture
Chemical nature : C.I. Pigment Violet 23 in aqueous dispersion, containing glycerine

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Alcohols, C12-14 ethoxylated, sulfates, sodium salts	68891-38-3	Skin irritation, Category 2 Serious eye damage, Category 1 Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 3	>= 5 -< 10
Biphenyl-2-ol	90-43-7	Acute toxicity (Oral), Category 5 Skin irritation, Category 2 Serious eye damage, Category 1 Specific target organ toxicity - single exposure (Respiratory system), Category 3 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.
If inhaled : Remove to fresh air.
In case of skin contact : IF ON SKIN: Wash with plenty of soap and water.
In case of eye contact : Rinse the affected eye with plenty of water, at the same time keep the unaffected eye well protected.
If swallowed : If swallowed do not induce vomiting, seek medical advice and show safety datasheet or label

Agrocer Violet 023 disp.

Page 3(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Most important symptoms and effects, both acute and delayed : No symptoms known currently.
No hazards known at this time.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet
Dry powder
Carbon dioxide (CO₂)
Alcohol-resistant foam

Water spray
Carbon dioxide (CO₂)
Foam
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
Sulphur dioxide
Hydrogen chloride

Special protective equipment for firefighters : Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Do not let the liquid drain into rivers, ponds or sewer systems.

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Agrocer Violet 023 disp.

Page 4(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

- Advice on safe handling : When used and handled appropriately no special measures are needed
- Hygiene measures : Wash hands before breaks and at the end of workday.
Use protective skin cream before handling the product.
Take off immediately all contaminated clothing and wash it before reuse.
- Further information on storage conditions : Keep away from heat.
- sensitive to frost - In case of the product becoming opaque, thickening or being frozen due to the effects of cold, allow to thaw slowly at room temperature. Stir briefly before use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection
Remarks : Nitrile rubber gloves. Minimum breakthrough time (glove): not determined Minimum thickness (glove): not determined Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective equipment.
- Protective measures : Wear suitable protective equipment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Very viscous
- Colour : violet
- Odour : not specified
- Odour Threshold : not determined

Agrocer Violet 023 disp.

Page 5(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

pH	:	8,2 (20 °C)
Melting point	:	no data available
Boiling point	:	> 100 °C (1.013 hPa)
Flash point	:	> 100 °C
Evaporation rate	:	not determined
Flammability (solid, gas)	:	not determined
Burning number	:	Not applicable
Upper explosion limit / upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	no data available
Density	:	1,1 - 1,4 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	miscible
Solubility in other solvents	:	no data available
Partition coefficient: n-octanol/water	:	not determined
Auto-ignition temperature	:	not determined
Decomposition temperature	:	> 100 °C
Viscosity		
Viscosity, dynamic	:	200 - 1.500 mPa.s (23 °C)
Viscosity, kinematic	:	no data available
Explosive properties	:	no data available
Oxidizing properties	:	no data available
Molecular weight	:	no data available

Agrocer Violet 023 disp.

Page 6(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Metal corrosion rate : no data available

Minimum ignition energy : not determined

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Stable

Conditions to avoid : None known.

Incompatible materials : no data available

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: The toxicological data has been taken from products of similar composition.

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Acute oral toxicity : LD50 (Rat, male and female): 2.870 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Biphenyl-2-ol:

Agrocer Violet 023 disp.

Page 7(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

- Acute oral toxicity : LD50 (Rat, male and female): 2.733 mg/kg
Method: OECD Test Guideline 401
GLP: yes
- Acute inhalation toxicity : LC50 (Rat, male): >949 mg/m³
Exposure time: 1 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

- Species : Rabbit
Result : No skin irritation
Remarks : The toxicological data has been taken from products of similar composition.

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

- Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

Biphenyl-2-ol:

- Species : Rabbit
Exposure time : 24 h
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

Serious eye damage/eye irritation

Product:

- Species : rabbit eye
Result : No eye irritation
Remarks : The toxicological data has been taken from products of similar composition.

Agrocer Violet 023 disp.

Page 8(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Biphenyl-2-ol:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
GLP : no

Respiratory or skin sensitisation

Product:

Result : No sensitisation effects are known
Remarks : By analogy with a product of similar composition

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

Assessment : Causes skin irritation., Causes serious eye damage.

Biphenyl-2-ol:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : no

Assessment : Causes skin irritation., Causes serious eye damage.

Germ cell mutagenicity

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 0, 11, 56, 280, 1400, 7000 µg/
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Mammalian cell gene mutation assay
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation

Agrocer Violet 023 disp.

Page 9(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Bone marrow cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo

: Test Type: Cytogenetic assay
Species: Mouse (male and female)
Strain: CD1
Cell type: Bone marrow cells
Application Route: oral (gavage)
Dose: 1000, 2000 mg/kg bw/day
Method: OECD Test Guideline 475
Result: negative

Biphenyl-2-ol:

Genotoxicity in vitro

: Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 473

Result: negative

GLP: no

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Method: OECD Test Guideline 482

Result: negative

GLP: no

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Rat (male)
Strain: Fischer F344
Application Route: oral (feed)
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.

Germ cell mutagenicity -
Assessment

: In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Carcinogenicity

Product:

Agrocer Violet 023 disp.

Page 10(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Carcinogenicity - Assessment : No information available.

Components:

Biphenyl-2-ol:

Species : Rat, male
Application Route : Oral
Exposure time : 448 d
NOAEL : 20.000 mg/kg food
Result : negative

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : No information available.

No information available.

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: Drinking water
Dose: 30, 100, 300 mg/kg bw/day
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
General Toxicity F1: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal development : Species: Rat, female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw/day
General Toxicity Maternal: NOAEL: > 1.000 mg/kg body weight
Embryo-foetal toxicity: NOAEL: > 1.000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Biphenyl-2-ol:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Strain: Sprague-Dawley
Application Route: oral (feed)
Dose: 20, 100, and 500 mg/kg bw/day

Agrocer Violet 023 disp.

Page 11(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

General Toxicity - Parent: NOAEL: 100 mg/kg body weight
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Strain: wistar
Application Route: oral (gavage)
Dose: 150, 300, 600, 1200 mg/kg bw/
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: 150 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 414
Result: Not classified
GLP: no

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Product:

Remarks : no data available

Components:

Biphenyl-2-ol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Product:

Remarks : no data available

Components:

Biphenyl-2-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Species : Rat, male and female
NOAEL : > 225 mg/kg
Application Route : oral (gavage)
Exposure time : 90 d

Agrocer Violet 023 disp.

Page 12(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Number of exposures : daily
Dose : 25, 75, 225 mg/kg bw/day
Control Group : yes
Method : OECD Test Guideline 408
GLP : yes

Species : Mouse, male and female
NOAEL : > 6,91 mg/kg
Exposure time : 91 d
Number of exposures : 5 per week
Dose : 2,38, 6,91 mg/day
Control Group : yes
Method : OECD Test Guideline 411

Repeated dose toxicity - Assessment : Causes skin irritation., Causes serious eye damage.

Biphenyl-2-ol:

Species : Rabbit, female
NOAEL : 100 mg/kg bw/day
Application Route : oral (gavage)
Exposure time : 13 d
Method : Other
GLP : no

Species : Rat, male and female
NOAEL : >= 100 mg/kg bw/day
Application Route : Dermal
Exposure time : 21 d
Number of exposures : once daily on 5 days/week
Dose : 100, 500, and 1000 mg/kg bw/da
Control Group : yes
Method : OECD Test Guideline 410
GLP : yes

Repeated dose toxicity - Assessment : Causes skin irritation., Causes serious eye damage.

Aspiration toxicity

Product:

no data available

Components:

Biphenyl-2-ol:

No aspiration toxicity classification

Agrocer Violet 023 disp.

Page 13(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 100 - 220 mg/l
Exposure time: 96 h
GLP: yes

Toxicity to daphnia and other :
aquatic invertebrates Remarks: no data available

Toxicity to algae/aquatic :
plants Remarks: no data available

Toxicity to fish (Chronic :
toxicity) Remarks: no data available

Toxicity to microorganisms : Remarks: no data available

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7,4 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
plants Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 4,4 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic : NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
toxicity) Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0,27 mg/l
aquatic invertebrates Exposure time: 21 d
(Chronic toxicity) Test Type: flow-through test
Method: OECD Test Guideline 211
Remarks: By analogy with a product of similar composition

Agrocer Violet 023 disp.

Page 14(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Biphenyl-2-ol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 2,95 mg/l
Exposure time: 96 d
Method: OECD Test Guideline 203
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,71 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: no

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,98 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: DIN 38412
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,036 mg/l
End point: Reproduction rate
Exposure time: 21 d
Test Type: flow-through test
Analytical monitoring: yes
Method: Other
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,009 mg/l
End point: Reproduction rate
Exposure time: 21 d
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): 56 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209
GLP: no

Agrocer Violet 023 disp.

Page 15(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Remarks: slightly soluble
May be separated mechanically in waste water plants.

Components:

Alcohols, C12-14 ethoxylated, sulfates, sodium salts:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: >= 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Biphenyl-2-ol:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 1 mg/l
Carbon dioxide (CO₂)
Result: Readily biodegradable.
Biodegradation: 70,8 - 75,7 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: no data available

Components:

Biphenyl-2-ol:

Bioaccumulation : Bioconcentration factor (BCF): 21,7

Partition coefficient: n-
octanol/water : log Pow: 2,5 (25 °C)
pH: 7
Method: OECD Test Guideline 117
GLP: yes

Mobility in soil

Components:

Biphenyl-2-ol:

Agrocer Violet 023 disp.

Page 16(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Distribution among environmental compartments : Koc: 346,7, log Koc: 2,54

Other adverse effects

Product:

Environmental fate and pathways : Remarks: no data available

Additional ecological information : Product contains organic halogen, may contribute to AOX value

Components:

Biphenyl-2-ol:

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated packaging : This material and its container must be disposed of in a safe way.

SECTION 14. TRANSPORT INFORMATION

Terrestrial (railways, highways) - ANTT: not restricted

Air - ANAC: not restricted

Ship (sea, rivers, lakes) - IMDG: not restricted

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The product is classified and labelled in accordance with GHS regulation and the relevant national laws.

SECTION 16. OTHER INFORMATION

Agrocer Violet 023 disp.

Page 17(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

Revision Date : 29.09.2022
Date format : dd.mm.yyyy

Further information

Other information : Observe national and local legal requirements

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Heubach makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Heubach's products for its particular application. Nothing included in this information waives any of Heubach's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable

SAFETY DATA SHEET
ABNT NBR 14725 Standard



Agrocer Violet 023 disp.

Page 18(18)

Substance key: SXR003727

Revision Date: 29.09.2022

Version : 4 - 6 / BR

Date of printing : 10.12.2022

national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Heubach products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Heubach.

BR / EN