

Sanodure Brown GSL

Page 1(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Sanodure Brown GSL

Material number: 102216

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industry sector : Metal extraction, refining and processing of metals
Type of use : aluminium dye

1.3. Details of the supplier of the safety data sheet

Identification of the company

Heubach Colorants Germany GmbH
Brüningstraße 50
65929 Frankfurt am Main
Telephone no. : +49 69 305 13619

Information about the substance/mixture

Product Stewardship
e-mail: SDS.PI.Europe@clariant.com

1.4. Emergency telephone number

00800-5121 5121 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Sanodure Brown GSL

Page 2(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Precautionary statements : **Prevention:**
P261 Avoid breathing dust.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II)
5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one
(3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No additional hazards are known except those derived from the labelling.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : anionic
azo dyestuff/nickel complex

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II)	480445-87-2 407-110-1 611-103-00-0	Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 50 - < 70

Sanodure Brown GSL

Page 3(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

2-Methylpentane-2,4-diol	107-41-5 203-489-0 603-053-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Get medical advice/ attention if you feel unwell.
- If inhaled : If inhaled, remove to fresh air.
- In case of skin contact : Wash off immediately with plenty of water.
Consult a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Consult a physician.
- If swallowed : If swallowed, call a poison control centre or doctor immediately.

Sanodure Brown GSL

Page 4(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects
sensitising effects

Risks : Causes serious eye damage.
May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Product is compatible with standard fire-fighting agents.

Unsuitable extinguishing media : No restrictions

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Carbon oxides

Nickel oxide

Nitrogen oxides (NOx)

Sulphur oxides

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

5.3 Advice for firefighters

Special protective equipment for firefighters : Self-contained breathing apparatus

Further information : Cool container and metallic parts with a water spray jet

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective equipment.

Sanodure Brown GSL

Page 5(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

6.2 Environmental precautions

Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Take up mechanically
Treat recovered material as described in the section "Disposal considerations".

6.4 Reference to other sections

Information regarding Safe handling, see chapter 7., For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion : Potential dust explosion hazard.

Hygiene measures : Do not breathe dust. When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Keep away sources of ignition.

7.3 Specific end use(s)

Specific use(s) : No further recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Sodium sulphate CAS-No.: 7757-82-6	Workers	Inhalation	Long-term systemic effects	20 mg/m ³
	Remarks:DNEL			
	Workers	Inhalation	Long-term local effects	20 mg/m ³
	Remarks:DNEL			
	General population	Inhalation	Long-term systemic effects	12 mg/m ³
	Remarks:DNEL			
	General	Inhalation	Long-term local	12 mg/m ³

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Sanodure Brown GSL

Page 6(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

	population		effects	
	Remarks:DNEL			
2-Methylpentane-2,4-diol CAS-No.: 107-41-5	Workers	Inhalation	Long-term systemic effects	44,4 mg/m3
	Remarks:DNEL			
	Workers	Inhalation	Long-term local effects	49 mg/m3
	Remarks:DNEL			
	Workers	Inhalation	Acute local effects	98 mg/m3
	Remarks:DNEL			
	Workers	Dermal	Long-term systemic effects	42 mg/kg bw/day
	Remarks:DNEL			
	Consumers	Inhalation	Long-term systemic effects	7,8 mg/m3
	Remarks:DNEL			
	Consumers	Inhalation	Long-term local effects	25 mg/m3
	Remarks:DNEL			
	Consumers	Inhalation	Acute local effects	25 mg/m3
	Remarks:DNEL			
	Consumers	Inhalation	Acute local effects	49 mg/m3
	Consumers	Dermal	Long-term systemic effects	15 mg/kg bw/day
	Remarks:DNEL			
	Consumers	Oral	Long-term systemic effects	1,5 mg/kg bw/day
	Remarks:DNEL			
Sodium formate CAS-No.: 141-53-7	General population	Oral	Long-term systemic effects	25 mg/kg bw/day
	Remarks:DNEL			
	Workers	Dermal	Acute local effects	16,7 mg/cm2
	Remarks:DNEL			
	General population	Dermal	Acute local effects	8,33 mg/cm2
	Remarks:DNEL			
	Workers	Dermal	Acute systemic effects	5000 mg/kg bw/day
	Remarks:DNEL			
	General population	Dermal	Acute systemic effects	2500 mg/kg bw/day
	Remarks:DNEL			
	Workers	Dermal	Long-term local effects	16,67 mg/cm2
	Remarks:DNEL			
	General population	Dermal	Long-term local effects	8,3 mg/cm2
	Remarks:DNEL			
	Workers	Dermal	Long-term systemic effects	5000 mg/kg bw/day
	Remarks:DNEL			
	General	Dermal	Long-term systemic	2500 mg/kg

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Sanodure Brown GSL

Page 7(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

	population		effects	bw/day
	Remarks:DNEL			
	Workers	Inhalation	Acute systemic effects	350 mg/m3
	Remarks:DNEL			
	General population	Inhalation	Acute systemic effects	87 mg/m3
	Remarks:DNEL			
	Workers	Inhalation	Long-term systemic effects	353 mg/m3
	Remarks:DNEL			
	General population	Inhalation	Long-term systemic effects	87 mg/m3
	Remarks:DNEL			
5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1) CAS-No.: 55965-84-9	Workers	Inhalation	Long-term local effects	0,02 mg/m3
	Remarks:DNEL			
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Remarks:DNEL			
	Consumers	Inhalation	Long-term local effects	0,02 mg/m3
	Remarks:DNEL			
	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Remarks:DNEL			
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg bw/day
	Remarks:DNEL			
	Consumers	Oral	Acute systemic effects	0,11 mg/kg bw/day
	Remarks:DNEL			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Sodium sulphate CAS-No.: 7757-82-6	Fresh water	11,09 mg/l
	Marine water	1,109 mg/l
	Water (intermittent release)	17,66 mg/l
	Fresh water sediment	40,2 mg/kg dry weight (d.w.)
	Marine sediment	4,02 mg/kg dry weight (d.w.)
	Soil	1,54 mg/kg dry weight (d.w.)
	Sewage treatment plant	800 mg/l
2-Methylpentane-2,4-diol CAS-No.: 107-41-5	Fresh water	0,429 mg/l
	Marine water	0,043 mg/l
	Sewage treatment plant	20 mg/l
	Soil	0,066 mg/kg dry

Sanodure Brown GSL

Page 8(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

		weight (d.w.)
	Fresh water sediment	1,59 mg/kg dry weight (d.w.)
	Marine sediment	0,159 mg/kg dry weight (d.w.)
Sodium formate CAS-No.: 141-53-7	Sewage treatment plant	2,21 mg/l
	Fresh water	2 mg/l
	Water (intermittent release)	10 mg/l
	salt water	0,2 mg/l
	Fresh water sediment	13,4 mg/kg dry weight (d.w.)
	Marine sediment	1,34 mg/kg dry weight (d.w.)
	Soil	1,5 mg/kg
5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1) CAS-No.: 55965-84-9	Fresh water	3,39 µg/l
	Marine water	3,39 µg/l
	Sewage treatment plant	0,23 mg/l
	Soil	0,01 mg/kg dry weight (d.w.)
	Intermittent use/release	3,39 µg/l
	Fresh water sediment	0,027 mg/kg dry weight (d.w.)
	Marine sediment	0,027 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Remarks : Chemical resistant gloves Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Protective measures : Wear suitable protective equipment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Granules

Colour : brown

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Sanodure Brown GSL

Page 9(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Odour	:	not specified
Odour Threshold	:	not required
Melting point	:	Decomposition: no Not applicable
Boiling point	:	(1.013 hPa) Decomposition: no Not applicable
Flammability	:	no reaction up to 360 °C Method: Sandoz Ignition test of deposited dust. Remarks: Ignition test of deposited dust
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	160 °C Method: SANDOZ long duration test open cup Heating rate: 0 K/min open cup 210 °C Heating rate: 0,75 K/min Method: SANDOZ Radex dynamic decomposition test dependent on the presence of air open cup
pH	:	6 - 7 (20 °C) Concentration: 3 g/l 0,3 %
Viscosity Viscosity, dynamic	:	Not applicable
Solubility(ies) Water solubility	:	10 g/l (20 °C) soluble
Partition coefficient: n-octanol/water	:	not determined
Vapour pressure	:	Not applicable
Relative density	:	no data available

Sanodure Brown GSL

Page 10(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Density	:	not determined
Bulk density	:	approx. 800 kg/m ³
Relative vapour density	:	Not applicable
Particle characteristics		
Particle size	:	not determined

9.2 Other information

Oxidizing properties	:	no data available
Self-ignition	:	no data available
Substances and mixtures, which in contact with water, emit flammable gases	:	Method: according to Lütolf (ESCIS Vol. 1)
Metal corrosion rate	:	Not applicable
Evaporation rate	:	Not applicable
Minimum ignition energy	:	> 1 J (1.013 hPa) Method: modified Hartmann tube
Molecular weight	:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3. "Possibility of hazardous reactions"

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Hazardous reactions : none

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : not known

10.6 Hazardous decomposition products

When used and handled as intended, none.

Sanodure Brown GSL

Page 11(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: no data available

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Acute oral toxicity : LD50 (Rat): 3.579 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: Not relevant

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

2-Methylpentane-2,4-diol:

Acute oral toxicity : LD0 (Rat, male and female): >= 2.000 mg/kg
Method: OECD Test Guideline 420
GLP: yes

Acute inhalation toxicity : LC0 (Rat, male): saturated vapor
Exposure time: 8 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD0 (Rat, male and female): >= 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg
Acute toxicity estimate: Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, male and female): 0,171 mg/l

Sanodure Brown GSL

Page 12(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: Corrosive to the respiratory tract.

Acute toxicity estimate: Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): 92,4 mg/kg

Acute toxicity estimate: Method: Calculation method

Skin corrosion/irritation

Product:

Remarks : no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

2-Methylpentane-2,4-diol:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure
GLP : no

Serious eye damage/eye irritation

Product:

Remarks : no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Sanodure Brown GSL

Page 13(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes

2-Methylpentane-2,4-diol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritating to eyes.
GLP : yes

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Species : Rabbit
Method : Other
Result : Risk of serious damage to eyes.
GLP : no

Respiratory or skin sensitisation

Product:

Remarks : no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : May cause sensitisation by skin contact.
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.
GLP : yes

2-Methylpentane-2,4-diol:

Test Type : Guinea pig maximization test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Test Type : Maximisation Test
Species : Guinea pig

Sanodure Brown GSL

Page 14(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1A.
GLP : yes

Assessment : Toxic if swallowed., Fatal in contact with skin., Fatal if inhaled., Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: no data available

Genotoxicity in vivo : Remarks: no data available

Germ cell mutagenicity-
Assessment : No information available.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow cells
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity-
Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

2-Methylpentane-2,4-diol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Concentration: 1250 - 5000 µg/ml
Metabolic activation: with and without metabolic activation

Sanodure Brown GSL

Page 15(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: mouse lymphoma cells
Concentration: 0,16 - 10 mM
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 31,25 - 4000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Germ cell mutagenicity-
Assessment : In vitro tests did not show mutagenic effects

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Genotoxicity in vitro : Test Type: In vitro study
Metabolic activation: with and without metabolic activation
Result: Conflicting results have been seen in different studies.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Application Route: Oral
Exposure time: <= 5 d
Dose: 1-5 x <= 28 mg/kg
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Exposure time: <= 5 d
Dose: 1-5 x <= 20 - 30 mg/kg
Result: negative

Germ cell mutagenicity-
Assessment : In vivo tests did not show mutagenic effects

Carcinogenicity

Product:

Carcinogenicity -
Assessment : No information available.

Sanodure Brown GSL

Page 16(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Carcinogenicity - Assessment : No information available.

2-Methylpentane-2,4-diol:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : No information available.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Reproductive toxicity - Assessment : No information available.

2-Methylpentane-2,4-diol:

Effects on fertility : Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 200 - 500 - 1000 mg/kg
General Toxicity - Parent: NOAEL: \geq 1.000 mg/kg body weight
General Toxicity F1: NOAEL: 500 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes

Effects on foetal development : Species: Rat
Application Route: oral (gavage)
Dose: 30 - 300 - 1000 mg/kg
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
Animal experiments showed mutagenic and teratogenic

Sanodure Brown GSL

Page 17(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

effects.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Effects on fertility : Species: Rat, male and female
Application Route: Drinking water
Dose: 25 - 75 - 225 ppm
General Toxicity - Parent: NOAEL: 16,3 - 24,7 mg/kg body weight
General Toxicity F1: NOAEL: 16,3 - 24,7 mg/kg body weight
Method: Other
GLP: yes

Species: Rat, male and female
Application Route: Drinking water
Dose: 30 - 100 - 300 ppm
General Toxicity - Parent: NOAEL: 2,8 - 4,4 mg/kg body weight
General Toxicity F1: NOAEL: 22,7 - 28 mg/kg body weight
General Toxicity F2: NOAEL: 35,7 - 39,1 mg/kg body weight
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal development : Species: Rat, male and female
Application Route: oral (gavage)
Dose: <= 15 mg/kg
Developmental Toxicity: NOAEL: 15 mg/kg body weight
Method: Other

Species: Rat, male and female
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: <= 3,95 mg/kg body weight
Method: Other

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity
Embryotoxicity classification not possible from current data.

STOT - single exposure

Product:

Remarks : no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Sanodure Brown GSL

Page 18(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

2-Methylpentane-2,4-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Remarks : no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2-Methylpentane-2,4-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Species : Rat, male and female
NOAEL : 200 mg/kg bw/day
Application Route : oral (gavage)
Exposure time : 28 d
Number of exposures : daily
Dose : 0 - 50 - 200 - 1000 mg/kg
Control Group : yes
Method : OECD Test Guideline 407
GLP : yes

2-Methylpentane-2,4-diol:

Sanodure Brown GSL

Page 19(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Species : Rat, male and female
NOAEL : 50 mg/kg
Application Route : oral (gavage)
Exposure time : 91 d
Number of exposures : daily
Dose : 50 - 150 - 450 mg/kg
Control Group : yes
Method : OECD Test Guideline 408
GLP : yes

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Species : Rat, male and female
NOAEL : 16,3 - 24,7 mg/kg
Application Route : Drinking water
Exposure time : 90 d
Number of exposures : daily
Dose : 25 - 75 - 225 ppm
Control Group : yes
Method : Other
GLP : yes

Aspiration toxicity

Product:

no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

No aspiration toxicity classification

2-Methylpentane-2,4-diol:

No aspiration toxicity classification

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sanodure Brown GSL

Page 20(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: no data available

Toxicity to algae/aquatic plants : Remarks: no data available

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to microorganisms : Remarks: no data available

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1.000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 290 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Scenedesmus subspicatus 86.81 sag. green algae): 21,1 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: Directive 67/548/EEC, Annex V, C.3.
GLP: yes

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209
GLP: yes

Toxicity to fish (Chronic toxicity) : Remarks: not required

Sanodure Brown GSL

Page 21(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

2-Methylpentane-2,4-diol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.690 mg/l
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.410 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: no

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 429 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Toxicity to microorganisms : NOEC : ca. 200 mg/l
End point: Growth rate
Exposure time: 10 d
Test Type: aquatic
Analytical monitoring: no
Method: Other
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sanodure Brown GSL

Page 22(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): 0,22 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0,0052 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 7,92 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,098 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,004 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50:
86,6 mg/kg dry weight (d.w.)
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC:

Sanodure Brown GSL

Page 23(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

8,83 mg/kg dry weight (d.w.)
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Test Type: aerobic
Result: Not biodegradable
Biodegradation: < 10 %
Related to: Dissolved organic carbon (DOC)
Exposure time: 28 d
Method: test result of the active component according to
OECD 302B

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 500 mg/l
Result: Not biodegradable
Biodegradation: 6 %
Related to: Dissolved organic carbon (DOC)
Exposure time: 28 d
Method: OECD Test Guideline 302B
GLP: yes

Test Type: aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not biodegradable
Biodegradation: 21 %
Related to: Biochemical oxygen demand
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Stability in water : Hydrolysis: ca. at 50 °C(75 %)
Method: OECD Test Guideline 111

Hydrolysis: ca. at 50 °C(75 %)
Method: OECD Test Guideline 111

Hydrolysis: ca. at 39 °C(25 %)
Method: OECD Test Guideline 111

Sanodure Brown GSL

Page 24(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Hydrolysis: ca. at 39 °C(45 %)
Method: OECD Test Guideline 111

2-Methylpentane-2,4-diol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 2,3 mg ThOD/l
Result: Readily biodegradable.
Biodegradation: 81 %
Related to: Carbon dioxide (CO₂)
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Photodegradation : Test Type: air
Rate constant: $(1.5 \pm 0.4) \times 10^{-11} \text{ cm}^3 \text{ mol}^{-1} \text{ s}^{-1}$
Method: see user defined free text
GLP: no
Remarks: Decomposes rapidly in contact with light.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Method: OECD Test Guideline 301B

Photodegradation : Test Type: water
Light source: Sunlight

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

Partition coefficient: n-octanol/water : log Pow: ca. -4,2 (25 °C)
Method: OECD Test Guideline 117
GLP: yes

2-Methylpentane-2,4-diol:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Sanodure Brown GSL

Page 25(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Bioaccumulation : Bioconcentration factor (BCF): 3,6
Method: calculated
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : log Pow: -0,71 - 0,75
Method: OECD Test Guideline 107
GLP: yes

12.4 Mobility in soil

Components:

2-Methylpentane-2,4-diol:

Distribution among environmental compartments : Remarks: Not applicable

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: no data available
: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II):

Assessment : The substance is not identified as a PBT or as a vPvB substance.

2-Methylpentane-2,4-diol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sanodure Brown GSL

Page 26(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

12.7 Other adverse effects

Product:

Environmental fate and pathways : no data available

Additional ecological information : Product does not contain any organic bound Halogens which could lead to AOX-values.

Components:

Trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatonaphthalen-2-amido)nickel(II):

Environmental fate and pathways : no data available

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

2-Methylpentane-2,4-diol:

Environmental fate and pathways : not available

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-one (3:1):

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Incineration in an approved, controlled furnace with combustion gas scrubbing and emission gas control. Observe national and local legal requirements

Contaminated packaging : Consider recycling.

SECTION 14: Transport information

Section 14.1. to 14.5.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Sanodure Brown GSL

Page 27(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

ADR

UN no. UN 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
Hazard inducer(s): Azo dye / nickel complex
Class: 9
Primary risk: 9
Packing group: III
Hazard no. : 90
Remarks Shipment permitted

ADN

UN no. UN 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
Hazard inducer(s): Azo dye / nickel complex
Class: 9
Primary risk: 9
Packing group: III
Remarks Shipment permitted

RID

UN no. UN 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
Hazard inducer(s): Azo dye / nickel complex
Class: 9
Primary risk: 9
Packing group: III
Hazard no. : 90
Remarks Shipment permitted

IATA

UN no. UN 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
Hazard inducer(s): Azo dye / nickel complex
Class: 9
Primary risk: 9
Packing group: III
Remarks Shipment permitted

IMDG

UN no. UN 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s.
Hazard inducer(s): Azo dye / nickel complex
Class: 9
Primary risk: 9
Packing group: III
Remarks Shipment permitted
Marine pollutant: Marine Pollutant
EmS : F-A S-F

14.6. Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

Sanodure Brown GSL

Page 28(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

Further information

Non-dangerous good of class 9 for packagings <= 5 L / 5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors	:	Neither banned nor restricted
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

15.2 Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Sanodure Brown GSL

Page 29(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Sanodure Brown GSL

Page 30(30)

Substance key: KS9050

Revision Date: 03.06.2022

Version : 8 - 3 / EU

Date of printing : 11.12.2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Heubach makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Heubach's products for its particular application. Nothing included in this information waives any of Heubach's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Heubach products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Heubach.

REG_EU / EN